

TOP VIEW

	DE	SIGN DATA	
CA	PACITY AIR VOLUME	500 LITRES	
N	JMBER OF UNITS	1	
PR	ESSURE DESIGN	10 BAR.g (150PSL.g)	
HY	DROSTATIC TEST	15 BAR.g (225PSI.g)	
AP	PROX. WEIGHT	155 Kg	
M.	ATERIAL	SS 400 x 4.5 mm.thk.	
_	- INTERNAL SURFACE	COAL TAR EPOXY	
PAINT	- EXTERNAL PRIMER	RED OXIDE	
57	- EXTERNAL SURFACE	TOA G-370	


INSIDE	ELECTRICAL WELDING 4 mm,	
	KOBH LB-52 (AWS.E-7016)	
OUTSIDE	FULLY AUTOMATIC WELDING (SAW)	
	FLUX LINCOLN # 860	
	WIRE LINCOLN L-61 (AWS EM 22K)	
NOZZLE AND OTHERS	SHIELD METAL ARC WELDING (SMAW)	
	KOBE LB-52 (AWS.E-7016)	


NOZZIE LIST

ITEM NO.	SERVICE	SIZE	QTY	CONNECTION
N1	AIR OUTLET	Ø1½"	1	Socket BSW
N2	SAFETY VALVE	Ø1"	1	Socket BSW
N3	PRESSURE GAUGE	ø½"	1	Socket BSW
N4	AIR REGULATION NOZZLE	ø½"	1	Socket BSW
N5	AIR INLET	Ø1½"	1	Socket BSW
N6	DRAIN	Ø1"	1	Socket BSW
N7	HYDRO TEST NOZZLE	ø½"	1	Socket BSW
N8	NAME PLATE			
	_			

AIR RECEIV	ER TANK	CAPACITY	500/4.5 LTRS

CUSTOMER		40	
DRAW BY	S.Wirat	DATE	26/10/2011
APPROVED		REV	0





TOP VIEW


	DE	SIGN DATA	
CAI	PACITY AIR VOLUME	1000 LITRES	
NU	MBER OF UNITS	1	
PRE	SSURE DESIGN	10 BARg (150PSLg)	
HY	DROSTATIC TEST	15 BAR.g (225PSI.g)	
API	PROX WEIGHT	310 Kg	
MA	TERIAL.	58 400 x 6 mm.thk.	
2	- INTERNAL SURFACE	COAL TAR EPOXY	
PAINT	- EXTERNAL PRIMER	RED OXIDE	
	EXTERNAL SURFACE	TOA G-370	

INSIDE	ELECTRICAL WELDING 4 mm	
	KORE LB-52 (AWS 6-7016)	
OUTSIDE	FULLY AUTOMATIC WELDING (SAW)	
	FLUX LINCOLN # 860	
	WIRE LINCOLN L-61 (AWS EM 22K)	
NOZZLE AND OTHERS	SHIFLD METAL ARC WELDING (SMAW)	
	KOBE LB 52 (AWS E-7016)	

NOZZIE LIST

ITEM NO.	SERVICE	\$1.78	UTY	CONNECTION
NI	AIR OUTLET	Ø2"	I	Socket BSW
N2	SAFETY VALVE	01"	1	Socket BSW
N3	PRESSURE GAUGE	0 %"	1	Socket BSW
N4	AIR REGULATION NOZZLE	O.K.	1	Socket BSW
N5	AIR INLET	Ø2"	1	Socket BSW
N6	DRAIN	Ø1"	1	Socket BSW
N7	HYDRO TEST NOZZLE	01"	1	Socket BSW
NR	NAME PLATE			
	11-51100			

AIR RECEIVER T	ANK CAPACITY	1000/6 LTRS	
CUSTOMER			·
DRAW BY	S Wirat	DATE	26/10/2011
APPROVED		REV	0




	DESIG	N DATA		
CAPACITY AIR VOLUME		1500 LITRES		
NUMBER OF UNITS		1		
PRESSURE DESIGN		10 BAR.g (150PSI.g)		
HYDROSTATIC TEST		15 BAR.g (225PSL.g)		
APPROX. WEIGHT		450 Kg		
MATERIAL		SS 400 x 8 mm.thk.		
_	- INTERNAL SURFACE	COAL TAR EPOXY		
PAINT	- EXTERNAL PRIMER	RED OXIDE		
	- EXTERNAL SURFACE	TOA G-370		

INSIDE	ELECTRICAL WELDING 4 mm.
	KOBE LB-52 (AWS.E-7016)
OUTSIDE	FULLY AUTOMATIC WELDING (SAW)
	FLUX LINCOLN # 860
	WIRE LINCOLN L-61 (AWS EM 22K)
NOZZLE AND OTHERS	SHIELD METAL ARC WELDING (SMAW)
	KOBE LB-52 (AWS.E-7016)

NOZZIE LIST

PEM NO.	SERVICE	SUZZE	QTY	CONNECTION
N1	AIR OUTLET	Ø2"	1	Socket BSW
N2	SAFETY VALVE	Ø1"	1	Socket BSW
N3	PRESSURE GAUGE	Ø1/2"	1	Socket BSW
N4	AIR REGULATION NOZZLE	Ø1/2"	1	Socket BSW
N5	AIR INLET	Ø2"	1	Socket BSW
N6	DRAIN	Ø1"	1	Socket BSW
N7	HYDRO TEST NOZZLE	Ø1"	1	Socket BSW
N8	NAME PLATE			

CUSTOMER			
DRAW BY	S.Wirat	DATE	26/10/2011
APPROVED		REV	0



		DE	SIGN DATA	
	CA	PACITY AIR VOLUME	2000 LITRES	
	NL	MBER OF UNITS	1	
	PRESSURE DESIGN		10 BAR.g (150PSLg)	
	HYDROSTATIC TEST		15 BAR.g (225PSI.g)	
	APPROX. WEIGHT		550 Kg	
	M.	ATERIAL.	55 400 x 8 mm,thk,	
		- INTERNAL SURFACE	COAL TAR EPOXY	
	PAINT	- EXTERNAL PRIMER	RED OXIDE	
	-	- EXTERNAL SURFACE	TOA G-370	

INSIDE	ELECTRICAL WELDING 4 mm.	
	KOBE LB-52 (AWS.E-7016)	
OUTSIDE	FULLY AUTOMATIC WELDING (SAW)	
	FLUX LINCOLN # 860	
	WIRE LINCOLN L-61 (AWS EM 22K)	
NOZZLE AND OTHERS	SHIELD METAL ARC WELDING (SMAW)	
	KOBE LB-52 (AWS.E-7016)	

NOZZIE LIST

ITEM NO.	SERVICE	SIZE	QTY	CONNECTION
N1	AIR OUTLET	Ø2"	1	Socket BSW
N2	SAFETY VALVE	Ø1"	1	Socket BSW
N3	PRESSURE GAUGE	ؽ"	1	Socket BSW
N4	AIR REGULATION NOZZLE	ø½"	1	Socket BSW
N5	AIR INLET	Ø2"	1	Socket BSW
N6	DRAIN	Ø1"	1	Socket BSW
N7	HYDRO TEST NOZZLE	Ø1"	1	Socket BSW
N8	MAN HOLE	12"x14"	1	
N9	NAME PLATE			

AIR RECEIVER T	ANK CAPACITY 2000/8 LTR	S

CUSTOMER			
DRAW BY	S.Wirat	DATE	26/10/2011
APPROVED		REV	0