



AUGUST
Compressors

Energy Conservation Certification CE Certification VSD Variable Speed Drive



AUGUST COMPRESSORS
NINGBO XINDA SCREW COMPRESSOR CO.,LTD.
ADD:Dongwu Town, Yinzhou District, Ningbo City, Zhejiang Province, China
TEL:0086-574-88336262/6868 FAX:0086-574-88336161
E-mail: inquiry@nbxd.com
www.augustcompressor.com

Diesel Portable Screw Air Compressor
Electric Portable Screw Air Compressor
SD Air Cooled Screw Air Compressor

The manufacturing company of AUGUST brand screw air compressor is Ningbo Xinda screw compressor co., ltd. Which is a key enterprise of China's screw air compressor industry and has an independent powerful research and development team with international first-class processing and testing equipment "Made in Germany" AUGUST is specialized in manufacturing various types of PLC controlled, environment-friendly and low maintenance screw air compressors. High efficiency, energy saving and noise reduction elements are standard aspects in development and production. The main product line reaches the standard of national class 2 high efficiency requirements. Furthermore heat recovery systems, permanent magnet motor technology and VSD inverter applications are available to provide an even higher efficiency of the compressors. We combine the advanced German technologies with the latest research achievement and rely on the core technology we own, to establish our leading position in the industry and provide advanced solution to compressed air system for customers in and outside china. AUGUST compressors is an outstanding representative of Chinese private owned company with independent brand.


AUGUST compressors is not only the best choice in domestic market since 4 decades, but also meet the European standard, selling well overseas and enjoying high reputation among global customers. Product according with national class 2 energy-saving product, CE marking product quality, ASME available, ISO9001,SO14001,ISO1217. OEM welcome and adaptation to country specific regulations, voltage and frequency are available. AUGUST screw air compressor the best choice for your ROI.

Place your inquiry for more details or request for dealership in selected regions.

KEY HI-TECH ENTERPRISE OF CHINA




High Quality Equipments



High Quality Products

AUGUST Compressors are fully developed, designed and manufactured with independent R&D with reliable after sales service giving you the best Return On your Investment.

MACHINING CENTER



The technology used in manufacturing the AUGUST Compressors is state of the art. Using CNC equipment made in Germany and selected raw materials and components.

TESTING CENTER





SDK



Safe lifting , Easy transport



Used in Industry and Mining



BENEFITS

- 1.Long machine lifetime, high efficiency and reliable performance achieved by direct coupling of the energy saving air end to the motor.
- 2.The adopted design is reducing the internal working temperature and providing a reliable rain water protection.
- 3.Easy to handle and reliable control system. Automatically adjusting from 0-100% Free Air Delivery, depending on the air flow.
- 4.Micro Computer controlled monitoring of exhaust pressure and temperature as well as operational parameters in combination with automatic alarm and emergency shutdown function.
- 5.Reliable performance based on multi-stage air filter suitable for dusty work environment, multilevel oil filter, large oil-water cooler and suitable for high temperature environment.
- 6.The compressor is equipped with hoisting hooks on the top, for easy transport in rough terrain by use of crane or bulldozer.

SDK Series Technical Specifications:

Model	Discharge Pressure (Mpa)	Free Air Delivery (m³/min)	Motor Power (kW/HP)	Weight (Kg)	Overall Dimension (mm)	Air Supply Out (Inch)
SDK37A	0.7	6.7	37/50	1000	2000 × 1000 × 1300	R1 1/2"
SDK37B	1.0	5.7				
SDK37C	1.3	4.8				
SDK37D	0.8	6.2				
SDK45A	0.7	7.8	45/60	1050	2000 × 1000 × 1300	R1 1/2"
SDK45B	1.0	6.8				
SDK45C	1.3	5.4				
SDK45D	0.8	7.5				
SDK55A	0.7	10.5	55/75	1790	2450 × 1200 × 1500	G2"
SDK55B	1.0	8.5				
SDK55C	1.3	7.6				
SDK55D	0.8	10.0				
SDK75A	0.7	13.5	75/100	1900	2450 × 1200 × 1500	G2"
SDK75B	1.0	11.5				
SDK75C	1.3	9.5				
SDK75D	0.8	12.8				
SDK90A	0.7	16.8	90/122	2530	3000 × 1650 × 1800	R2 1/2"
SDK90B	1.0	14.1				
SDK90C	1.3	12.2				
SDK90D	0.8	16.2				
SDK110A	0.7	21.0	110/150	2650	3000 × 1650 × 1800	R2 1/2"
SDK110B	1.0	17.5				
SDK110C	1.3	14.5				
SDK110D	0.8	20.0				
SDK132A	0.7	24.0	132/180	2850	3000 × 1650 × 1800	R2 1/2"
SDK132B	1.0	20.5				
SDK132C	1.3	16.6				
SDK132D	0.8	22.5				
SDK160A	0.7	28.5	160/215	3050	3000 × 1650 × 1800	R2 1/2"
SDK160B	1.0	24.5				
SDK160C	1.3	20.2				
SDK160D	0.8	27.0				

SDK